

CUSTOM QUOTE: 0000097998

VF-2SS



PRODUCT OVERVIEW

Super-Speed CNC Vertical Machining Center with 30" x 16" x 20" (762 x 406 x 508 mm) travels

STANDARD FEATURES

					_
12,0	JOO-	RPM	SPI	NDL	Æ

STANDARD PROGRAM MEMORY, 1 GB

Standard Program Memory; 1 GB of onboard memory for program storage and backup. INCLUDED

55-GALLON COOLANT TANK

55-Gallon (208 liter) Coolant Tank with 1 hp (0.75 kW) pump; flows 12 gpm @ 30 psi (45 L/min @ 2 bar) @ 60 Hz, and features a multi-section labyrinth design that prevents chips from reaching the coolant pump.

......INCLUDED

EARLY POWER-FAILURE DETECTION MODULE

Early Power-Failure Detection Module; senses a power failure or severe drop in incoming line voltage and quickly brings all axis motion to a safe and controlled stop. INCLUDED

ETHERNET INTERFACE

Ethernet Interface; allows you to easily transfer files to and from the machine over a local wired network.

.....INCLUDED

HAASCONNECT: REMOTE MONITORING

HaasConnect: Remote monitoring of your Haas machine. Requires the machine to be connected to the Internet.

INCLUDED

HAASDROP

MEDIA DISPLAY M-CODE; M130

Media Display M-Code; M130 is used within an NC program to call up media files (images, videos, PDF files) from memory and display them on the control screen as the program runs. NextGen Control only. . . . INCLIDED

DATE: May 10, 2023

PREPARED FOR:

John Imperial 603-765-2101 John@IDMachining.com ID Machining LLC 4 Site Drive, Hudson, NH 03051

LOCAL DISTRIBUTOR:

651 DAY HILL ROAD WINDSOR, CT, 06095 USA 860-687-2466 sales@hfotrident.com

QUOTE SUMMARY:

VF-2SS	US\$72,095
CONTROL OPTIONS	\$4,990.00
OPTIONS	\$1,595.00
PROBE SYSTEM	\$5,795.00
CHIP REMOVAL	\$3,695.00
ACCESSORIES	\$95.00
HAAS TOOLING	\$1,799.95
SPECIAL DISCOUNTS	
7.5% Discount	-\$6,755
TOTAL QUOTE	US\$83,310

RIGID TAPPING Rigid Tapping; synchronized tapping, with built-in tap cycles and up to 8X retract speed. INCLUDED Safe Run; a software feature in the Haas control that reduces the chances of significant machine damage during a machine crash. INCLUDED HIGH-SPEED 30+1 SIDE-MOUNT HIGH-SPEED 30+1 SIDE-MOUNT TOOL CHANGER, HSK POWER SURGE PROTECTION Surge Protection; provides protection from power surges to the machine control, preventing damage to critical components. If the machine experiences a power surge, the single-use surge-protection module is consumed, preventing the electrical spike from affecting the rest of the control components. Replacement surge-protection 1-YEAR STANDARD WARRANTY 1-Year Standard Warranty. Haas products carry a full 1-year warranty on the entire machine, including the **CONTROL TOUCH SCREEN** Touch Screen interface for the Haas control; allows screen navigation, data entry, and other control functions on-WIFI CONNECTION FOR THE HAAS CONTROL WiFi Connection for the Haas Control; provides wireless connectivity between the Haas control and a local area **WINDOW AIR BLAST** Haas Window Blast; airgun-activated feature for clearing coolant from the machine's window during machining. **SELECTED OPTIONS TOOLING TAPER (BT/CT) CT-STYLE TOOL CHANGER GRIPPERS PROBE SYSTEM** WIRELESS INTUITIVE PROBING SYSTEM Wireless Intuitive Probing System; Renishaw. Includes the Haas Visual Programming System, macros, **CHIP REMOVAL SYSTEM** Chip Auger; automatically removes chips from the machine, while compressing them and wringing out the **OPTIONS** HIGH-PRESSURE FLOOD COOLANT High-Pressure Flood Coolant System; provides high-pressure flood coolant through the standard coolant nozzles. NOTE: If an Auxiliary Coolant Filter (ACF) is installed, do not connect the Auxiliary Coolant Filter (ACF) directly to the High-Pressure Flood Coolant (HIGH PRESSURE COOL) pump. To use the Auxiliary Coolant Filter with High-Pressure Flood Coolant, the filter must be connected through an optional Through-Spindle Coolant (TSC) system. ATTENTION! This system is louder than the standard flood coolant system, due to the higher pressures involved, and the spur gear drive system. It is operating as expected.

DATE: May 10, 2023

PREPARED FOR:

John Imperial 603-765-2101 John@IDMachining.com ID Machining LLC 4 Site Drive, Hudson, NH 03051 US

LOCAL DISTRIBUTOR:

651 DAY HILL ROAD WINDSOR, CT, 06095 USA 860-687-2466 sales@hfotrident.com

QUOTE SUMMARY:

VF-2SS	US\$72,095
CONTROL OPTIONS	\$4,990.00
OPTIONS	\$1,595.00
PROBE SYSTEM	\$5,795.00
CHIP REMOVAL	\$3,695.00
ACCESSORIES	\$95.00
HAAS TOOLING	\$1,799.95
SPECIAL DISCOUNTS	
7.5% Discount	-\$6,755
TOTAL QUOTE	US\$83,310

CONTROL OPTIONS

*32 GB EXPANDED MEMORY

\$1,595

COORDINATE ROTATION AND SCALING Coordinate Rotation and Scaling; allows you to rotate your part program to another location, and increase or decrease (scale) the size of a toolpath or pattern
HIGH-SPEED MACHINING High-Speed Machining; allows faster feedrates and more complex toolpaths, without hesitation or starving the machine
USER-DEFINABLE MACROS User-Definable Macros; allows you to create custom subroutines for canned cycles, probing routines, special functions, and more
SPINDLE ORIENTATION Spindle Orientation allows the spindle to be positioned to a specific, programmed angle, using the spindle motor and spindle encoder for feedback. This option provides inexpensive and repeatable spindle positioning accurate to 0.5 degree
VISUAL PART PROGRAMMING SYSTEM Visual Part Programming System; a proprietary conversational programming system to quickly write G- code for simple milling routines. Includes User Definable Macros
TRANSFORMER
LOW-VOLTINCLUDED
ACCESSORIES
CHIP TRAY FILTER KIT Chip Tray Filter Kit; supplemental chip strainer kit keeps chips from entering the coolant system. Includes a 200-micron filter and metal chip tray basket. \$95
HAAS TOOLING
08-0004A 20-Piece, CT40 Toolholder Kit, TSC × 1

DATE: May 10, 2023

PREPARED FOR:

John Imperial 603-765-2101 John@IDMachining.com ID Machining LLC 4 Site Drive, Hudson, NH 03051 US

LOCAL DISTRIBUTOR:

651 DAY HILL ROAD WINDSOR, CT, 06095 USA 860-687-2466 sales@hfotrident.com

QUOTE SUMMARY:

VF-2SS	US\$72,095
CONTROL OPTIONS	\$4,990.00
OPTIONS	\$1,595.00
PROBE SYSTEM	\$5,795.00
CHIP REMOVAL	\$3,695.00
ACCESSORIES	\$95.00
HAAS TOOLING	\$1,799.95
SPECIAL DISCOUNTS	
7.5% Discount	-\$6,755
TOTAL QUOTE	US\$83,310

VF-2SS	3 5
Special Discounts	
7.5% Off Order Price	55
Special Price Quote	10

Save 7.5% on Your Entire Order! + Add Automation for Double Savings

Pricing may change at any time, without notice. Please contact your local Haas Factory
Outlet for the most up-to-date pricing and information.

Haas Build & Price is for example only. Your Haas Factory Outlet can provide a formal price quotation. Price, specifications, availability, and specific configurations may change without notice. Despite our best efforts, some items may contain pricing, typography, or photography errors.

Shipping, delivery, transportation, and rigging charges are not included in this quote.

Caution: Federal, State, and Local taxes are not included in the quote price.

This quote is valid only for customers in USA. All prices in US Dollars.

Print date: May 10, 2023

LOCAL DISTRIBUTOR:

651 DAY HILL ROAD WINDSOR, CT, 06095 USA 860-687-2466 sales@hfotrident.com **DATE**: May 10, 2023

PREPARED FOR:

John Imperial 603-765-2101 John@IDMachining.com ID Machining LLC 4 Site Drive, Hudson, NH 03051

LOCAL DISTRIBUTOR:

651 DAY HILL ROAD WINDSOR, CT, 06095 USA 860-687-2466 sales@hfotrident.com

QUOTE SUMMARY:

VF-2SS	US\$72,095
CONTROL OPTIONS	\$4,990.00
OPTIONS	\$1,595.00
PROBE SYSTEM	\$5,795.00
CHIP REMOVAL	\$3,695.00
ACCESSORIES	\$95.00
HAAS TOOLING	\$1,799.95
SPECIAL DISCOUNTS	
7.5% Discount	-\$6,755
TOTAL QUOTE	US\$83,310

^{*} Not available for field installation